

THESE IN-STOCK CARTRIDGE HEATERS CAN SHIP THE SAME DAY!

3/8" diameter cartridge heaters with swaged in high temperature leads available TODAY
 High Temperature 22 ga. leads are rated to 550 C and available in 14", 26", and 38" lengths

OVERALL LENGTH	Volts	Watts	14 IN. Leads	26 IN. Leads	38 IN. Leads
1	240	100	TD37010A-14S	TD37010A-26S	TD37010A-38S
1.25	240	100	TD37012A-14S	TD37012A-26S	TD37012A-38S
1.25	240	150	TD37012B-14S	TD37012B-26S	TD37012B-38S
1.5	120	50	TD37015A-14S	TD37015A-26S	TD37015A-38S
1.5	120	100	TD37015B-14S	TD37015B-26S	TD37015B-38S
1.5	240	100	TD37015C-14S	TD37015C-26S	TD37015C-38S
1.5	120	150	TD37015D-14S	TD37015D-26S	TD37015D-38S
1.5	240	150	TD37015E-14S	TD37015E-26S	TD37015E-38S
1.5	120	200	TD37015F-14S	TD37015F-26S	TD37015F-38S
1.5	240	200	TD37015A-14S	TD37015A-26S	TD37015A-38S
1.5	120	250	TD37015H-14S	TD37015H-26S	TD37015H-38S
1.5	240	250	TD37015J-14S	TD37015J-26S	TD37015J-38S
1.75	120	50	TD37017A-14S	TD37017A-26S	TD37017A-38S
1.75	240	200	TD37017A-14S	TD37017A-26S	TD37017A-38S
2	120	50	TD37020A-14S	TD37020A-26S	TD37020A-38S
2	120	75	TD37020B-14S	TD37020B-26S	TD37020B-38S
2	120	100	TD37020C-14S	TD37020C-26S	TD37020C-38S
2	240	100	TD37020D-14S	TD37020D-26S	TD37020D-38S
2	120	150	TD37020E-14S	TD37020E-26S	TD37020E-38S
2	240	150	TD37020F-14S	TD37020F-26S	TD37020F-38S
2	120	200	TD37020G-14S	TD37020G-26S	TD37020G-38S
2	240	200	TD37020A-14S	TD37020A-26S	TD37020A-38S
2	120	250	TD37020M-14S	TD37020M-26S	TD37020M-38S
2	240	250	TD37020J-14S	TD37020J-26S	TD37020J-38S
2	120	300	TD37020K-14S	TD37020K-26S	TD37020K-38S
2	240	300	TD37020B-14S	TD37020B-26S	TD37020B-38S
2.5	120	250	TD37025A-14S	TD37025A-26S	TD37025A-38S
2.5	240	250	TD37025B-14S	TD37025B-26S	TD37025B-38S
3	120	100	TD37030A-14S	TD37030A-26S	TD37030A-38S
3	120	125	TD37030B-14S	TD37030B-26S	TD37030B-38S
3	120	150	TD37030K-14S	TD37030K-26S	TD37030K-38S
3	240	150	TD37030L-14S	TD37030L-26S	TD37030L-38S
3	120	200	TD37030C-14S	TD37030C-26S	TD37030C-38S
3	240	200	TD37030D-14S	TD37030D-26S	TD37030D-38S
3	120	250	TD37030E-14S	TD37030E-26S	TD37030E-38S
3	240	250	TD37030F-14S	TD37030F-26S	TD37030F-38S
3	120	300	TD37030G-14S	TD37030G-26S	TD37030G-38S
3	240	300	TD37030H-14S	TD37030H-26S	TD37030H-38S
3	120	400	TD37030J-14S	TD37030J-26S	TD37030J-38S
3	240	400	TD37030A-14S	TD37030A-26S	TD37030A-38S
3	120	500	TD37030L-14S	TD37030L-26S	TD37030L-38S
3	240	500	TD37030B-14S	TD37030B-26S	TD37030B-38S
3.5	120	75	TD37035A-14S	TD37035A-26S	TD37035A-38S
3.5	120	125	TD37035D-14S	TD37035D-26S	TD37035D-38S

THESE IN-STOCK CARTRIDGE HEATERS CAN SHIP THE SAME DAY!

3/8" diameter cartridge heaters with swaged in high temperature leads available TODAY
 High Temperature 22 ga. leads are rated to 550 C and available in 14", 26", and 38" lengths

OVERALL LENGTH	Volts	Watts	14 IN. Leads	26 IN. Leads	38 IN. Leads
3.5	120	300	TD37035B-14S	TD37035B-26S	TD37035B-38S
3.5	240	300	TD37035A-14S	TD37035A-26S	TD37035A-38S
3.5	120	500	TD37035C-14S	TD37035C-26S	TD37035C-38S
3.5	240	500	TD37035D-14S	TD37035D-26S	TD37035D-38S
4	120	125	TD37040A-14S	TD37040A-26S	TD37040A-38S
4	120	150	TD37040B-14S	TD37040B-26S	TD37040B-38S
4	240	150	TD37040H-14S	TD37040H-26S	TD37040H-38S
4	120	250	TD37040C-14S	TD37040C-26S	TD37040C-38S
4	240	250	TD37040D-14S	TD37040D-26S	TD37040D-38S
4	120	400	TD37040E-14S	TD37040E-26S	TD37040E-38S
4	240	400	TD37040F-14S	TD37040F-26S	TD37040F-38S
4	120	500	TD37040G-14S	TD37040G-26S	TD37040G-38S
4	240	500	TD37040A-14S	TD37040A-26S	TD37040A-38S
4	240	600	TD37040B-14S	TD37040B-26S	TD37040B-38S
4.5	120	125	TD37045A-14S	TD37045A-26S	TD37045A-38S
4.5	120	300	TD37045B-14S	TD37045B-26S	TD37045B-38S
4.5	120	500	TD37045C-14S	TD37045C-26S	TD37045C-38S
4.5	240	500	TD37045A-14S	TD37045A-26S	TD37045A-38S
5	120	100	TD37050E-14S	TD37050E-26S	TD37050E-38S
5	120	125	TD37050N-14S	TD37050N-26S	TD37050N-38S
5	120	150	TD37050B-14S	TD37050B-26S	TD37050B-38S
5	240	150	TD37050J-14S	TD37050J-26S	TD37050J-38S
5	120	200	TD37050H-14S	TD37050H-26S	TD37050H-38S
5	120	250	TD37050C-14S	TD37050C-26S	TD37050C-38S
5	120	300	TD37050K-14S	TD37050K-26S	TD37050K-38S
5	240	300	TD37050L-14S	TD37050L-26S	TD37050L-38S
5	120	400	TD37050D-14S	TD37050D-26S	TD37050D-38S
5	240	400	TD37050E-14S	TD37050E-26S	TD37050E-38S
5	120	500	TD37050M-14S	TD37050M-26S	TD37050M-38S
5	240	500	TD37050N-14S	TD37050N-26S	TD37050N-38S
5	120	600	TD37050F-14S	TD37050F-26S	TD37050F-38S
5	240	600	TD37050B-14S	TD37050B-26S	TD37050B-38S
5	240	800	TD37050H-14S	TD37050H-26S	TD37050H-38S
5	240	1000	TD37050C-14S	TD37050C-26S	TD37050C-38S
6	120	100	TD37060E-14S	TD37060E-26S	TD37060E-38S
6	120	125	TD37060K-14S	TD37060K-26S	TD37060K-38S
6	120	150	TD37060A-14S	TD37060A-26S	TD37060A-38S
6	120	200	TD37060B-14S	TD37060B-26S	TD37060B-38S
6	120	250	TD37060C-14S	TD37060C-26S	TD37060C-38S
6	240	250	TD37060F-14S	TD37060F-26S	TD37060F-38S
6	120	300	TD37060G-14S	TD37060G-26S	TD37060G-38S
6	240	300	TD37060H-14S	TD37060H-26S	TD37060H-38S
6	120	400	TD37060D-14S	TD37060D-26S	TD37060D-38S
6	240	400	TD37060E-14S	TD37060E-26S	TD37060E-38S
6	120	500	TD37060J-14S	TD37060J-26S	TD37060J-38S

THESE IN-STOCK CARTRIDGE HEATERS CAN SHIP THE SAME DAY!

3/8" diameter cartridge heaters with swaged in high temperature leads available TODAY
 High Temperature 22 ga. leads are rated to 550 C and available in 14", 26", and 38" lengths

OVERALL LENGTH	Volts	Watts	14 IN. Leads	26 IN. Leads	38 IN. Leads
6	240	500	TD37060K-14S	TD37060K-26S	TD37060K-38S
6	240	600	TD37060A-14S	TD37060A-26S	TD37060A-38S
6	240	800	TD37060B-14S	TD37060B-26S	TD37060B-38S
6	240	1000	TD37060C-14S	TD37060C-26S	TD37060C-38S
6.5	120	500	TD37065A-14S	TD37065A-26S	TD37065A-38S
6.5	240	500	TD37065B-14S	TD37065B-26S	TD37065B-38S
7	120	250	TD37070A-14S	TD37070A-26S	TD37070A-38S
7	120	400	TD37070B-14S	TD37070B-26S	TD37070B-38S
7	240	400	TD37070C-14S	TD37070C-26S	TD37070C-38S
7	120	500	TD37070D-14S	TD37070D-26S	TD37070D-38S
7	240	500	TD37070E-14S	TD37070E-26S	TD37070E-38S
7	120	600	TD37070F-14S	TD37070F-26S	TD37070F-38S
7	240	600	TD37070G-14S	TD37070G-26S	TD37070G-38S
7	240	1000	TD37070A-14S	TD37070A-26S	TD37070A-38S
7.5	240	500	TD37075A-14S	TD37075A-26S	TD37075A-38S
8	120	250	TD37080A-14S	TD37080A-26S	TD37080A-38S
8	120	300	TD37080C-14S	TD37080C-26S	TD37080C-38S
8	240	300	TD37080D-14S	TD37080D-26S	TD37080D-38S
8	120	500	TD37080E-14S	TD37080E-26S	TD37080E-38S
8	240	500	TD37080F-14S	TD37080F-26S	TD37080F-38S
8	120	600	TD37080H-14S	TD37080H-26S	TD37080H-38S
8	240	600	TD37080B-14S	TD37080B-26S	TD37080B-38S
8	240	750	TD37080G-14S	TD37080G-26S	TD37080G-38S
8	240	1000	TD37080A-14S	TD37080A-26S	TD37080A-38S
9	120	250	TD37090A-14S	TD37090A-26S	TD37090A-38S
9	120	400	TD37090B-14S	TD37090B-26S	TD37090B-38S
9	240	400	TD37090C-14S	TD37090C-26S	TD37090C-38S
9	240	1000	TD37090A-14S	TD37090A-26S	TD37090A-38S
10	120	250	TD37100A-14S	TD37100A-26S	TD37100A-38S
10	120	400	TD37100C-14S	TD37100C-26S	TD37100C-38S
10	120	600	TD37100D-14S	TD37100D-26S	TD37100D-38S
10	240	600	TD37100B-14S	TD37100B-26S	TD37100B-38S
10	240	1000	TD37100A-14S	TD37100A-26S	TD37100A-38S
11	240	1000	TD37110A-14S	TD37110A-26S	TD37110A-38S
12	120	250	TD37120A-14S	TD37120A-26S	TD37120A-38S
12	120	500	TD37120D-14S	TD37120D-26S	TD37120D-38S
12	240	500	TD37120E-14S	TD37120E-26S	TD37120E-38S
12	120	600	TD37120F-14S	TD37120F-26S	TD37120F-38S
12	240	600	TD37120B-14S	TD37120B-26S	TD37120B-38S
12	240	750	TD37120G-14S	TD37120G-26S	TD37120G-38S
12	240	1000	TD37120A-14S	TD37120A-26S	TD37120A-38S
12	240	1500	TD37120C-14S	TD37120C-26S	TD37120C-38S
14	240	600	TD37140A-14S	TD37140A-26S	TD37140A-38S
14	240	1000	TD37140B-14S	TD37140B-26S	TD37140B-38S
15	240	1000	TD37150A-14S	TD37150A-26S	TD37150A-38S
16	240	1000	TD37160A-14S	TD37160A-26S	TD37160A-38S
21	240	1000	TD37210A-14S	TD37210A-26S	TD37210A-38S